

## **CBE ID**

0028

## **Title**

Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

## **Endorsement Status**

Endorsed

## **Is Under Review**

No

## **Next Maintenance Cycle**

Spring 2028

## **Previous Endorsement Cycle**

Fall 2022

## **Initial Endorsement**

Sun, 08/09/2009 - 20:00

## **Steward**

National Committee for Quality Assurance

## **1.0 New or Maintenance**

Maintenance

## **1.1 Measure Structure**

Single Measure

## **1.3 Electronic Clinical Quality Measure (eCQM)**

No

## **1.6 Measure Description**

Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

Three rates are reported:

- a. Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months
- b. Percentage of patients aged 18 years and older who were identified as a tobacco user who received tobacco cessation intervention
- c. Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

---

## 1.7 Measure Type

Process

## 1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual

## 1.9 Care Setting

Other

## 1.13 Data Dictionary

Not attached. I attest that all information will be provided where codes and/or value sets are needed (1.14a - 1.15c).

## 1.14 Numerator

Population 1: Patients who were screened for tobacco use at least once within 24 months  
Population 2: Patients who received tobacco cessation intervention  
Population 3: Patients who were screened for tobacco use at least once within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

## 1.15 Denominator

Population 1: All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period  
Population 2: All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period who were screened for tobacco use and identified as a tobacco user  
Population 3: All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period

## 1.20 Types of Data Sources

Claims Data

## 6.1.2 Current or Planned Use(s)

Public Reporting

## Exclusions

Denominator Exclusions: not applicable

Denominator Exceptions:

Population 1:

Documentation of medical reason(s) for not screening for tobacco use (eg, limited life expectancy, other medical reason)

Population 2:

Documentation of medical reason(s) for not providing tobacco cessation intervention (eg, limited life expectancy, other medical reason)

Population 3:

---

Documentation of medical reason(s) for not screening for tobacco use OR for not providing tobacco cessation intervention for patients identified as tobacco users (eg, limited life expectancy, other medical reason)

### **Measure Disclaimer**

See copyright statement above.

### **Planned Use**

Public Reporting

### **Risk Adjustment**

No risk adjustment or risk stratification

### **Target Population**

Elderly, Individuals with multiple chronic conditions, Populations at Risk

### **Use In Federal Program**

Medicare Physician Quality Reporting System (PQRS), Medicare Shared Savings Program (MSSP), Million Hearts, Physician Compare, Physician Feedback/Quality and Resource Use Reports (QRUR), Physician Value-Based Payment Modifier (VBM)

### **The measure developer is different from the measure steward**

No

### **Steward Organization**

National Committee for Quality Assurance

### **Steward POC email**

measureendorsement@ncqa.org