
CBE ID

0059

Title

Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)

Endorsement Status

Endorsed by Extension

Is Under Review

No

Next Maintenance Cycle

Fall 2027

Previous Endorsement Cycle

Fall 2019

Initial Endorsement

Sun, 08/09/2009 - 20:00

Steward

National Committee for Quality Assurance

1.0 New or Maintenance

Maintenance

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

The percentage of patients 18-75 years of age with diabetes (type 1 and type 2) whose most recent HbA1c level is >9.0% during the measurement year.

1.7 Measure Type

Intermediate Outcome

1.8 Level of Analysis

Health Plan

1.13 Data Dictionary

Not attached. I attest that all information will be provided where codes and/or value sets are needed (1.14a - 1.15c).

1.14 Numerator

Patients whose most recent HbA1c level is greater than 9.0% or is missing a result, or for whom an HbA1c test was not done during the measurement year.

1.15 Denominator

Patients 18-75 years of age by the end of the measurement year who had a diagnosis of diabetes (type 1 and type 2) during the measurement year or the year prior to the measurement year.

1.20 Types of Data Sources

Claims Data, Paper Patient Medical Records

6.1.2 Current or Planned Use(s)

Public Reporting, Payment Program, Regulatory and Accreditation Programs, Professional Certification or Recognition Program, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

6.1.3 Current Use(s)

Public Reporting, Payment Program, Regulatory and Accreditation Programs, Professional Certification or Recognition Program, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Exclusions

This measure excludes adults in hospice. It also excludes adults with advanced illness and frailty, as well as Medicare adults 65 years of age and older enrolled in an I-SNP or living long-term in institutional settings.

Additionally, exclude patients who had a diagnosis of gestational diabetes or steroid-induced diabetes, in any setting during the measurement year or the year prior to the measurement year and who did NOT have a diagnosis of diabetes. These patients are sometimes pulled into the denominator via pharmacy data. They are then removed once no additional diagnosis of diabetes (Type 1 or Type II) is found.

Measure Disclaimer

This HEDIS® performance measure is not a clinical guideline and does not establish a standard of medical care and has not been tested for all potential applications.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Populations at Risk

Use In Federal Program

Medicaid, Medicare Physician Quality Reporting System (PQRS), Medicare Shared Savings Program (MSSP), Physician Feedback/Quality and Resource Use Reports (QRUR), Physician Value-Based Payment Modifier (VBM)

The measure developer is different from the measure steward

No

Steward Organization

National Committee for Quality Assurance

Steward POC email

measureendorsement@ncqa.org