

**CBE ID**

0061

**Title**

Comprehensive Diabetes Care: Blood Pressure Control (<140/90 mm Hg)

**Endorsement Status**

Endorsed by Extension

**Is Under Review**

No

**Next Maintenance Cycle**

Fall 2027

**Previous Endorsement Cycle**

Fall 2019

**Initial Endorsement**

Sun, 08/09/2009 - 20:00

**Steward**

National Committee for Quality Assurance

**1.0 New or Maintenance**

Maintenance

**1.3 Electronic Clinical Quality Measure (eCQM)**

No

**1.6 Measure Description**

The percentage of patients 18-75 years of age with diabetes (type 1 and type 2) whose most recent blood pressure level taken during the measurement year is <140/90 mm Hg.

**1.7 Measure Type**

Intermediate Outcome

**1.8 Level of Analysis**

Health Plan

**1.13 Data Dictionary**

Not attached. I attest that all information will be provided where codes and/or value sets are needed (1.14a - 1.15c).

**1.14 Numerator**

Patients whose most recent blood pressure level was <140/90 mm Hg during the measurement year.

### **1.15 Denominator**

Patients 18-75 years of age by the end of the measurement year who had a diagnosis of diabetes (type 1 and type 2) during the measurement year or the year prior to the measurement year.

### **1.20 Types of Data Sources**

Claims Data, Paper Patient Medical Records

#### **6.1.2 Current or Planned Use(s)**

Public Reporting, Payment Program, Regulatory and Accreditation Programs, Professional Certification or Recognition Program, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

#### **6.1.3 Current Use(s)**

Public Reporting, Payment Program, Regulatory and Accreditation Programs, Professional Certification or Recognition Program, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

### **Exclusions**

This measure excludes adults in hospice. It also excludes adults with advanced illness and frailty, as well as Medicare adults 65 years of age and older enrolled in an I-SNP or living long-term in institutional settings.

Additionally, exclude patients who had a diagnosis of gestational diabetes or steroid-induced diabetes, in any setting, during the measurement year or the year prior to the measurement year and who did NOT have a diagnosis of diabetes. These patients are sometimes pulled into the denominator via pharmacy data. They are then removed once no additional diagnosis of diabetes (Type 1 or Type II) is found.

### **Measure Disclaimer**

This HEDIS® performance measure is not a clinical guideline and does not establish a standard of medical care and has not been tested for all potential applications.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

### **Risk Adjustment**

No risk adjustment or risk stratification

### **Target Population**

Populations at Risk

**The measure developer is different from the measure steward**

No

**Steward Organization**

National Committee for Quality Assurance

**Steward POC email**

measureendorsement@ncqa.org