

CBE ID

0064

Title

Comprehensive Diabetes Care: LDL-C Control <100 mg/dL

Project

Endocrine Endorsement Maintenance

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Spring 2014

Removal Date

Wed, 09/03/2014 - 20:00

Initial Endorsement

Sun, 08/09/2009 - 20:00

Steward

National Committee for Quality Assurance

1.0 New or Maintenance

Maintenance

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

The percentage of members 18-75 years of age with diabetes (type 1 and type 2) whose most recent LDL-C test is <100 mg/dL during the measurement year.

1.7 Measure Type

Outcome

1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual, Health Plan, Integrated Delivery System, Other,
Population: Regional and State

1.9 Care Setting

Outpatient Services

1.14 Numerator

Members whose most recent LDL-C test is <100 mg/dL during the measurement year.

1.15 Denominator

Members 18-75 years of age by the end of the measurement year who had a diagnosis of diabetes (type 1 or type 2) during the measurement year or the year prior to the measurement year.

1.20 Types of Data Sources

Claims Data, Electronic Health Data, Electronic Health Records: Electronic Health Records, Other, Paper Records

6.1.2 Current or Planned Use(s)

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

6.1.3 Current Use(s)

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Exclusions

Exclude members with a diagnosis of polycystic ovaries who did not have a face-to-face encounter, in any setting, with a diagnosis of diabetes during the measurement year or the year prior to the measurement year. Diagnosis may occur at any time in the member's history, but must have occurred by the end of the measurement year.

Exclude members with gestational or steroid-induced diabetes who did not have a face-to-face encounter, in any setting, with a diagnosis of diabetes during the measurement year or the year prior to the measurement year. Diagnosis may occur during the measurement year or the year prior to the measurement year, but must have occurred by the end of the measurement year.

Planned Use

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly

Steward Organization

National Committee for Quality Assurance

Steward POC email

measureendorsement@ncqa.org