

CBE ID

0088e

Title

Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy

Endorsement Status

Endorsement Removed

E&M Committee Rationale/Justification

No longer pursuing endorsement.

Is Under Review

No

Previous Endorsement Cycle

Full Year 2014

Removal Date

Sun, 08/31/2025 - 10:49

Initial Endorsement

Wed, 11/04/2015 - 06:38

Steward

American Academy of Ophthalmology

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

Yes

1.6 Measure Description

Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy and the presence or absence of macular edema during one or more office visits within 12 months

1.7 Measure Type

Process

1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual

1.9 Care Setting

Other

1.14 Numerator

Patients who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy AND the presence or absence of macular edema during one or more office visits within 12 months

1.15 Denominator

All patients aged 18 years and older with a diagnosis of diabetic retinopathy

1.20 Types of Data Sources

Other

6.1.2 Current or Planned Use(s)

Payment Program, Public Reporting, Quality Improvement (Internal to the specific organization)

6.1.3 Current Use(s)

Payment Program, Public Reporting, Quality Improvement (Internal to the specific organization)

Exclusions

Exceptions:

Documentation of medical reason(s) for not performing a dilated macular or fundus examination

Documentation of patient reason(s) for not performing a dilated macular or fundus examination

Measure Disclaimer

Physician Performance Measures (Measures) and related data specifications have been developed by the American Medical Association (AMA) - convened Physician Consortium for Performance Improvement® (PCPI®). These Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications. The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, eg, use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the PCPI). Neither the AMA, PCPI nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of

the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, the PCPI and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications. CPT® contained in the Measure specifications is copyright 2004-2014 American Medical Association. LOINC® copyright 2004-2014 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2014 International Health Terminology Standards Development Organisation. ICD-10 copyright 2014 World Health Organization. All Rights Reserved.

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly

The measure developer is different from the measure steward

No

Steward Organization

American Academy of Ophthalmology

Steward POC email

flum@aao.org