

CBE ID

0105

Title

Antidepressant Medication Management (AMM)

Endorsement Status

Endorsement Removed

E&M Committee Rationale/Justification

Steward no longer seeking endorsement

Is Under Review

No

Previous Endorsement Cycle

Spring 2018

Removal Date

Wed, 04/16/2025 - 11:23

Initial Endorsement

Sun, 08/09/2009 - 20:00

Steward

National Committee for Quality Assurance

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

The percentage of members 18 years of age and older who were treated antidepressant medication, had a diagnosis of major depression, and who remained on an antidepressant medication treatment. Two rates are reported.

- a) Effective Acute Phase Treatment. The percentage of patients who remained on an antidepressant medication for at least 84 days (12 weeks).
- b) Effective Continuation Phase Treatment. The percentage of patients who remained on an

antidepressant medication for at least 180 days (6 months).

1.7 Measure Type

Process

1.8 Level of Analysis

Health Plan

1.13 Data Dictionary

Not attached. I attest that all information will be provided where codes and/or value sets are needed (1.14a - 1.15c).

1.14 Numerator

Adults 18 years of age and older who were newly treated with antidepressant medication, had a diagnosis of major depression, and who remained on an antidepressant medication treatment.

1.15 Denominator

Patients 18 years of age and older with a diagnosis of major depression and were newly treated with antidepressant medication.

1.20 Types of Data Sources

Claims Data

6.1.2 Current or Planned Use(s)

Public Reporting, Payment Program, Regulatory and Accreditation Programs, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

6.1.3 Current Use(s)

Public Reporting, Payment Program, Regulatory and Accreditation Programs, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Exclusions

Exclude patients who use hospice services or elect to use a hospice benefit any time during the measurement year, regardless of when the services began.

Exclude patients who did not have a diagnosis of major depression in an inpatient, outpatient, ED, telehealth, intensive outpatient or partial hospitalization setting during the 121-day period from 60 days prior to the IPSP, through the IPSP and the 60 days after the IPSP.

Exclude patients who filled a prescription for an antidepressant 105 days prior to the IPSP.

Measure Disclaimer

These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND.

Planned Use

Payment Program, Public Reporting

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Populations at Risk

Use In Federal Program

Medicaid, Medicare Physician Quality Reporting System (PQRS), Physician Feedback/Quality and Resource Use Reports (QRUR), Physician Value-Based Payment Modifier (VBM), Qualified Health Plan (QHP) Quality Rating System (QRS)

The measure developer is different from the measure steward

No

Steward Organization

National Committee for Quality Assurance

Steward POC email

measureendorsement@ncqa.org