

**CBE ID**

0164

**Title**

Fibrinolytic Therapy received within 30 minutes of hospital arrival

**Project**

Cardiovascular

**Endorsement Status**

Endorsement Removed

**Is Under Review**

No

**Previous Endorsement Cycle**

Full Year 2016

**Removal Date**

Mon, 01/11/2016 - 19:00

**Initial Endorsement**

Tue, 05/08/2007 - 20:00

**Steward**

Centers for Medicare & Medicaid Services

**1.0 New or Maintenance**

Maintenance

**1.1 Measure Structure**

Single Measure

**1.3 Electronic Clinical Quality Measure (eCQM)**

No

**1.6 Measure Description**

Percentage of acute myocardial infarction (AMI) patients with ST-segment elevation or LBBB on the ECG closest to arrival time receiving fibrinolytic therapy during the hospital stay and having a time from hospital arrival to fibrinolysis of 30 minutes or less.

**1.7 Measure Type**

Process

**1.8 Level of Analysis**

---

Facility, Other, Population: Regional and State

## 1.9 Care Setting

Inpatient/Hospital

### 1.14 Numerator

AMI patients whose time from hospital arrival to fibrinolysis is 30 minutes or less

### 1.15 Denominator

Principal diagnosis of AMI (International Classification of Diseases, 9th revision, Clinical Modification [ICD-9-CM] principal diagnosis code of AMI: 410.00, 410.01, 410.10, 410.11, 410.20, 410.21, 410.30, 410.31, 410.40, 410.41, 410.50, 410.51, 410.60, 410.61, 410.70, 410.71, 410.80, 410.81, 410.90, 410.91); and ST-segment elevation or LBBB on the ECG performed closest to hospital arrival; and fibrinolytic therapy within 6 hours after hospital arrival; and fibrinolytic therapy is primary reperfusion therapy

### 1.20 Types of Data Sources

Claims Data, Paper Patient Medical Records

## 6.1.2 Current or Planned Use(s)

Payment Program

### Exclusions

Exclusions:

- <18 years of age
- Patients who have a length of stay greater than 120 days
- Patients enrolled in clinical trials
- Patients received as a transfer from an inpatient or outpatient department of another hospital
- Patients received as a transfer from the emergency/observation department of another hospital
- Patients received as a transfer from an ambulatory surgery center
- Patients who did not receive fibrinolytic therapy within 30 minutes and had a documented reason for delay in fibrinolytic therapy

### Planned Use

Payment Program

### Risk Adjustment

No risk adjustment or risk stratification

### Target Population

Elderly

### Steward Organization

Centers for Medicare & Medicaid Services

### Steward POC email

Kristie.baus@cms.hhs.gov