

CBE ID

0215

Title

Proportion of patients who died from cancer not admitted to hospice

Project

Geriatric and Palliative Care

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Spring 2022

Removal Date

Thu, 01/27/2022 - 00:00

Initial Endorsement

Sun, 08/09/2009 - 20:00

Steward

American Society of Clinical Oncology

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

Proportion of patients who died from cancer not admitted to hospice

1.7 Measure Type

Process

1.8 Level of Analysis

Clinician: Group/Practice

1.9 Care Setting

Home Care, Inpatient/Hospital, Outpatient Services

1.14 Numerator

Proportion of patients not enrolled in hospice

1.15 Denominator

Patients who died from cancer.

1.20 Types of Data Sources

Claims Data, Registry data

6.1.2 Current or Planned Use(s)

Payment Program, Public Reporting, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

6.1.3 Current Use(s)

Payment Program, Public Reporting, Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Exclusions

None

Measure Disclaimer

These clinical indicators and quality measures are not intended to and should never supplant independent physician judgment with respect to particular patients or clinical situations. Patient care is always subject to the independent physician judgment with respect to particular patients or clinical situations. Patient care is always subject to the independent professional judgment of the treating physician.

Accordingly, QOPI participants' adherence to quality measures contained in this research report is strictly voluntary and discretionary, with the ultimate determination regarding their application to be made by the treating physician in his or her professional judgment and in light of each patient's individual circumstances. ASCO does not endorse the QOPI® measures as guidelines for standards of practice or 'best practices.'

Planned Use

Payment Program

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly (Age >= 65)

Steward Organization

American Society of Clinical Oncology

Steward POC email

caitlin.drumheller@asco.org