

CBE ID

0424

Title

Functional status change for patients with Foot and Ankle impairments

Project

Patient Experience and Function

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Spring 2021

Removal Date

Thu, 04/08/2021 - 20:00

Initial Endorsement

Wed, 07/30/2008 - 20:00

Steward

Focus on Therapeutic Outcomes

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

This is a patient-reported outcome performance measure (PRO-PM) consisting of an item response theory-based patient-reported outcome measure (PROM) of change in functional status (FS) for patients aged 14 years and older with foot and ankle impairments. The change in FS is assessed using the FOTO Lower Extremity Physical Function (LEPF) PROM. The measure is adjusted to patient characteristics known to be associated with FS outcomes (risk adjusted) and used as a performance measure at the patient, individual clinician, and clinic levels to assess quality. Scores are reported on a 0 to 100 continuous scale with higher scores indicating better FS. The LEPF items relate directly to the Mobility and Self-care constructs within the Activities and Participation domain of the International Classification of Functioning, Disability and Health.

Additional information on the different development phases of the LEPF PROM are described in the testing attachment (section 1.5).

1.7 Measure Type

Patient-reported Outcome Performance Measure (PRO-PM)

1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual

1.9 Care Setting

Outpatient Services

1.14 Numerator

The numerator is based on residual scores (actual change scores minus predicted change after risk adjustment) of patients receiving care for ankle or foot impairments and who completed the LEPF PROM. The numerator, as it applies to the 3 levels, is defined as follows: Patient Level: The residual functional status score for the individual patient. Individual Clinician Level: The average of residuals in functional status scores in patients who were treated by a clinician during the measurement period. Clinic Level: The average of residuals in patients who were treated by a clinic during the measurement period.

1.15 Denominator

The target population is all patients 14 years and older with foot or ankle impairments who have initiated an episode of care and completed the LEPF PROM.

1.20 Types of Data Sources

Instrument-Based Data

6.1.2 Current or Planned Use(s)

Public Reporting

Exclusions

Documentation stating patient has a diagnosis of a degenerative neurological condition such as ALS, MS, or Parkinson's diagnosed at any time before or during the episode of care

OR

Patient unable to complete the LEPF PROM at Initial Evaluation and/or Discharge due to blindness, illiteracy, severe mental incapacity or language incompatibility and an adequate proxy is not available

Measure Disclaimer

NA

Planned Use

Public Reporting

Risk Adjustment

Statistical risk model

Target Population

Dual eligible beneficiaries, Elderly, Populations at Risk, Veterans

Use In Federal Program

Medicare Physician Quality Reporting System (PQRS), Physician Feedback/Quality and Resource Use Reports (QRUR), Physician Value-Based Payment Modifier (VBM)

Steward Organization

Focus on Therapeutic Outcomes

Steward POC email

deanna.hayes@fotoinc.com