

## **CBE ID**

0565

## **Title**

Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery

## **Endorsement Status**

Endorsement Removed

## **E&M Committee Rationale/Justification**

Steward no longer seeking endorsement.

## **Is Under Review**

No

## **Previous Endorsement Cycle**

Full Year 2014

## **Removal Date**

Wed, 04/16/2025 - 15:38

## **Initial Endorsement**

Thu, 10/29/2009 - 20:00

## **Steward**

American Academy of Ophthalmology

## **1.0 New or Maintenance**

Maintenance

## **1.1 Measure Structure**

Single Measure

## **1.3 Electronic Clinical Quality Measure (eCQM)**

No

## **1.6 Measure Description**

Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and no significant ocular conditions impacting the visual outcome of surgery and had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following the cataract surgery

## **1.7 Measure Type**

---

Outcome

## 1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual

## 1.13 Data Dictionary

Not attached. I attest that all information will be provided where codes and/or value sets are needed (1.14a - 1.15c).

## 1.14 Numerator

Patients who had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following cataract surgery

## 1.15 Denominator

All patients aged 18 years and older who had cataract surgery

## Exclusions

Patients with significant ocular conditions impacting the visual outcome of surgery

## Measure Disclaimer

Physician Performance Measures (Measures) and related data specifications have been developed by the American Medical Association (AMA) - convened Physician Consortium for Performance Improvement® (PCPI®). These Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications. The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, eg, use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the PCPI). Neither the AMA, PCPI nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, the PCPI and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2014 American Medical Association. LOINC® copyright 2004-2014 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2014 International Health Terminology Standards Development Organisation. ICD-10 copyright 2014 World Health

Organization. All Rights Reserved.

**Risk Adjustment**

No risk adjustment or risk stratification

**Target Population**

Elderly

**The measure developer is different from the measure steward**

No

**Steward Organization**

American Academy of Ophthalmology

**Steward POC email**

flum@aao.org