

CBE ID

0624

Title

Atrial Fibrillation - Anticoagulation Therapy

Project

National Voluntary Consensus Standards For Clinically Enriched Administrative Data

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Full Year 2009

Removal Date

Wed, 12/11/2013 - 19:00

Initial Endorsement

Thu, 12/03/2009 - 19:00

Steward

ActiveHealth Management

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

Percentage of adult patients aged 25 and older with atrial fibrillation and major stroke risk factors who are on anticoagulation therapy.

1.7 Measure Type

Process

1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual, Facility, Health Plan, Integrated Delivery System,

Other, Population: Community, County or City, Population: Regional and State

1.9 Care Setting

Home Care, Outpatient Services

1.14 Numerator

Patients with evidence of anticoagulation therapy.

1.15 Denominator

All patients with Atrial Fibrillation and one of the following: 1. Age greater than or equal to 25 with prior stroke, mitral stenosis or mitral valve replacement 2. Age greater than or equal to 75 and 1 of the following: diabetes, hypertension or CHF 3. Age less than 75 and 2 of the following: diabetes, hypertension or CHF

1.20 Types of Data Sources

Claims Data, Electronic Health Data, Electronic Health Records: Electronic Health Records, Instrument-Based Data, Other

6.1.2 Current or Planned Use(s)

Public Reporting, Quality Improvement (Internal to the specific organization)

6.1.3 Current Use(s)

Public Reporting, Quality Improvement (Internal to the specific organization)

Exclusions

Contraindications to warfarin, including:

- Esophageal varices with bleed
- Aortic dissection
- Intracerebral hemorrhage
- Blood transfusion (RBC or platelets)
- Severe brain injury
- Dementia
- Alcohol use/abuse
- Falls
- Fracture
- Hemorrhage contraindications and procedures
- Adverse effects from coumadin
- Abnormal gait/incoordination
- Neuro and eye surgery
- Gastritis with Current fill of Proton pump inhibitors
- Thrombocytopenia
- Hematocrit lab value < 25
- Pregnancy
- Patient or provider feedback indicating patient has allergy, intolerance, or contraindication to the drug anytime in the past

- General exclusions:
Terminal illness anytime in the past
hospice in the past 12 months

Planned Use

Public Reporting, Quality Improvement (Internal to the specific organization)

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly

Steward Organization

ActiveHealth Management

Steward POC email

mvemireddy@activehealth.net