

**CBE ID**

0637

**Title**

Perioperative Care: Discontinuation of Prophylactic Antibiotics (Cardiac Procedures)

**Project**

Surgery Endorsement

**Endorsement Status**

Endorsement Removed

**Is Under Review**

No

**Previous Endorsement Cycle**

Full Year 2013

**Removal Date**

Mon, 02/24/2014 - 19:00

**Initial Endorsement**

Wed, 07/30/2008 - 20:00

**Steward**

Physician Consortium for Performance Improvement

**1.0 New or Maintenance**

Maintenance

**1.1 Measure Structure**

Single Measure

**1.3 Electronic Clinical Quality Measure (eCQM)**

No

**1.6 Measure Description**

Percentage of cardiac surgical patients aged 18 years and older undergoing procedures with the indications for prophylactic antibiotics AND who received a prophylactic antibiotic, who have an order for discontinuation of prophylactic antibiotics within 48 hours of surgical end time.

**1.7 Measure Type**

Process

**1.8 Level of Analysis**

---

Clinician: Group/Practice, Clinician: Individual

## **1.9 Care Setting**

Inpatient/Hospital, Outpatient Services

## **1.14 Numerator**

Cardiac surgical patients who have an order for discontinuation of prophylactic antibiotics within 48 hours of surgical end time.

## **1.15 Denominator**

All cardiac surgical patients aged 18 years and older undergoing procedures with the indications for prophylactic antibiotics AND who received a prophylactic antibiotic

## **1.20 Types of Data Sources**

Claims Data, Other

## **6.1.2 Current or Planned Use(s)**

Public Reporting, Quality Improvement (Internal to the specific organization)

## **6.1.3 Current Use(s)**

Public Reporting, Quality Improvement (Internal to the specific organization)

## **Exclusions**

Exclude patients for whom prophylactic antibiotics was not ordered by reason of appropriate denominator exclusion.

If using the medical record or hybrid methodologies, exclude patients who have documentation in the medical record of: medical reason(s) for not discontinuing prophylactic antibiotics within 48 hours of surgical end time, cardiac procedure.

If using the EHR methodology, exclude patients using the codes listed in the electronic data collection methodology or who have documentation in the medical record of the appropriate denominator exclusion.

## **Planned Use**

Public Reporting, Quality Improvement (Internal to the specific organization)

## **Risk Adjustment**

No risk adjustment or risk stratification

## **Target Population**

Elderly

## **Steward Organization**

Physician Consortium for Performance Improvement

**Steward POC email**

Samantha.Tierney@ama-assn.org