

CBE ID

1932

Title

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

Project

Behavioral Health and Substance Use

Endorsement Status

Endorsement Removed

E&M Committee Rationale/Justification

No longer pursuing endorsement.

Is Under Review

No

Previous Endorsement Cycle

Spring 2018

Removal Date

Sun, 08/31/2025 - 10:49

Initial Endorsement

Fri, 11/02/2012 - 08:11

Steward

National Committee for Quality Assurance

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

The percentage of patients 18 – 64 years of age with schizophrenia or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

1.7 Measure Type

Process

1.8 Level of Analysis

Health Plan, Integrated Delivery System, Population: Regional and State

1.9 Care Setting

Other, Outpatient Services

1.14 Numerator

Among patients 18-64 years old with schizophrenia or bipolar disorder, those who were dispensed an antipsychotic medication and had a diabetes screening testing during the measurement year.

1.15 Denominator

Patients ages 18 to 64 years of age as of the end of the measurement year (e.g., December 31) with a schizophrenia or bipolar disorder diagnosis and who were prescribed an antipsychotic medication.

1.20 Types of Data Sources

Claims Data

6.1.2 Current or Planned Use(s)

Public Reporting, Quality Improvement with Benchmarking (external benchmarking to multiple organizations), Regulatory and Accreditation Programs

6.1.3 Current Use(s)

Public Reporting, Quality Improvement with Benchmarking (external benchmarking to multiple organizations), Regulatory and Accreditation Programs

Exclusions

Exclude members who use hospice services or elect to use a hospice benefit any time during the measurement year, regardless of when the services began.

Exclude patients with diabetes during the measurement year or the year prior to the measurement year.

Exclude patients who had no antipsychotic medications dispensed during the measurement year.

Measure Disclaimer

These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Planned Use

Public Reporting

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Populations at Risk

Use In Federal Program

Medicaid

Steward Organization

National Committee for Quality Assurance

Steward POC email

measureendorsement@ncqa.org