

**CBE ID**

2038

**Title**

Performing vaginal apical suspension at the time of hysterectomy to address pelvic organ prolapse

**Project**

Surgery Endorsement Maintenance

**Endorsement Status**

Endorsement Removed

**Is Under Review**

No

**Previous Endorsement Cycle**

Full Year 2014

**Removal Date**

Tue, 08/16/2022 - 08:56

**Initial Endorsement**

Thu, 09/03/2015 - 08:33

**Steward**

American Urogynecologic Society

**1.0 New or Maintenance**

Maintenance

**1.1 Measure Structure**

Single Measure

**1.3 Electronic Clinical Quality Measure (eCQM)**

No

**1.6 Measure Description**

Percentage of patients undergoing hysterectomy for the indication of pelvic organ prolapse in which a concomitant vaginal apical suspension (i.e. uterosacral, iliococcygeus, sacrospinous or sacral colpopexy, or enterocele repair) is performed.

**1.7 Measure Type**

Process

**1.8 Level of Analysis**

Clinician: Group/Practice, Clinician: Individual

## **1.9 Care Setting**

Inpatient/Hospital

### **1.14 Numerator**

The number of patients who have a concomitant vaginal apical suspension (i.e. enterocele repair, uterosacral-, iliococcygeus-, sacrospinous- or sacral- colpopexy) at the time of hysterectomy for pelvic organ prolapse.

### **1.15 Denominator**

Hysterectomy performed for the indication of pelvic organ prolapse

## **1.20 Types of Data Sources**

Claims Data, Other

### **6.1.2 Current or Planned Use(s)**

Payment Program, Professional Certification or Recognition Program, Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

### **6.1.3 Current Use(s)**

Payment Program, Professional Certification or Recognition Program, Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

## **Exclusions**

- Patients with a gynecologic or other pelvic malignancy noted at the time of hysterectomy
- Patients undergoing a concurrent obliterative procedure (colpocleisis)

## **Planned Use**

Payment Program, Professional Certification or Recognition Program, Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

## **Risk Adjustment**

Statistical risk model

## **Target Population**

Elderly

## **Steward Organization**

American Urogynecologic Society

## **Steward POC email**

[Colleen@aug.s.org](mailto:Colleen@aug.s.org)