

CBE ID

2091

Title

Persistent Indicators of Dementia without a Diagnosis—Long Stay

Project

Neurology

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Full Year 2015

Removal Date

Wed, 01/13/2016 - 19:00

Initial Endorsement

Wed, 03/06/2013 - 04:48

Steward

American Medical Directors Association

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

Percentage of nursing home residents age 65+ with persistent indicators of dementia and no diagnosis of dementia.

1.7 Measure Type

Process

1.8 Level of Analysis

Facility

1.9 Care Setting

Post-Acute Care

1.14 Numerator

Number of adult patients 65 and older who are included in the denominator (i.e., have persistent signs and symptoms of dementia) and who do not have a diagnosis of dementia on any MDS assessment within the last 12 months.

1.15 Denominator

The denominator is the total of all long-stay residents in the nursing facility who have at least two MDS assessments which may be an admission annual, quarterly, significant change or significant correction assessment during the selected quarter and who do not meet the exclusion criteria. The denominator includes (i) residents with Section C Brief Interview for Mental Status (BIMS) score <8 on most recent target assessment and a BIMS < 8 on the prior assessment; or (ii) residents with a staff assessment for cognitive status on both the most recent target assessment and the prior assessment that shows severe cognitive impairment.

1.20 Types of Data Sources

Electronic Health Records: Electronic Health Records

6.1.2 Current or Planned Use(s)

Not in use, Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

6.1.3 Current Use(s)

Not in use, Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Exclusions

Residents who are hospice or end of life, or who are comatose or with delirium, or with psychotic disorders including hallucinations, anxiety disorder, manic depressive disease, post-traumatic stress disorder, bipolar disorder or schizophrenia will be excluded from the denominator.

Planned Use

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly

Steward Organization

American Medical Directors Association

Steward POC email

jvance@amda.com