

CBE ID

2600

Title

Tobacco Use Screening and Follow-up for People with Serious Mental Illness or Alcohol or Other Drug Dependence

Project

Behavioral Health and Substance Use

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Spring 2020

Removal Date

Thu, 12/19/2019 - 19:00

Initial Endorsement

Fri, 03/06/2015 - 08:26

Steward

National Committee for Quality Assurance

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

The percentage of patients 18 years and older with a serious mental illness or alcohol or other drug dependence who received a screening for tobacco use and follow-up for those identified as a current tobacco user. Two rates are reported.

Rate 1: The percentage of patients 18 years and older with a diagnosis of serious mental illness who received a screening for tobacco use and follow-up for those identified as a current tobacco user.

Rate 2: The percentage of adults 18 years and older with a diagnosis of alcohol or other drug dependence who received a screening for tobacco use and follow-up for those identified as a current tobacco user.

Note: The proposed health plan measure is adapted from an existing provider-level measure for the general population (Preventive Care & Screening: Tobacco Use: Screening & Cessation Intervention NQF #0028). This measure is currently stewarded by the AMA-PCPI and used in the Physician Quality Reporting System.

1.7 Measure Type

Process

1.8 Level of Analysis

Health Plan

1.9 Care Setting

Outpatient Services

1.14 Numerator

Rate 1: Screening for tobacco use in patients with serious mental illness during the measurement year or year prior to the measurement year and received follow-up care if identified as a current tobacco user. Rate 2: Screening for tobacco use in patients with alcohol or other drug dependence during the measurement year or year prior to the measurement year and received follow-up care if identified as a current tobacco user.

1.15 Denominator

Rate 1: All patients 18 years of age or older as of December 31 of the measurement year with at least one inpatient visit or two outpatient visits for schizophrenia or bipolar I disorder, or at least one inpatient visit for major depression during the measurement year. Rate 2: All patients 18 years of age or older as of December 31 of the measurement year with any diagnosis of alcohol or other drug dependence during the measurement year.

1.20 Types of Data Sources

Claims Data, Electronic Health Records: Electronic Health Records, Paper Patient Medical Records

6.1.2 Current or Planned Use(s)

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Exclusions

Not applicable.

Measure Disclaimer

These performance measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.
THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Planned Use

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Dual eligible beneficiaries, Populations at Risk

Steward Organization

National Committee for Quality Assurance

Steward POC email

measureendorsement@ncqa.org