
CBE ID

2811e

Title

Acute Otitis Media - Appropriate First-Line Antibiotics

Endorsement Status

Endorsement Removed

E&M Committee Rationale/Justification

Steward no longer seeking endorsement.

Is Under Review

No

Previous Endorsement Cycle

Full Year 2016

Removal Date

Sat, 03/30/2024 - 11:40

Initial Endorsement

Thu, 07/13/2017 - 07:53

Steward

The Children's Hospital of Philadelphia

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

Yes

1.6 Measure Description

The proportion of encounters at which antibiotics prescribed to patients aged 2 months to 12 years for Acute Otitis Media (AOM) conform to the AAP/AAFP recommendation for first-line use of amoxicillin.

1.7 Measure Type

Process

1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual, Facility

1.9 Care Setting

Other

1.13 Data Dictionary

Not attached. I attest that all information will be provided where codes and/or value sets are needed (1.14a - 1.15c).

1.14 Numerator

0.25% in the African American population, pediatric cancer 0.3%, and urinary tract infection with vesicoureteral reflux 0.5-2%).The utility of the measure for benchmarking across similar entities, or for detection of trends over time, is not affected by these factors, which are expected to remain relatively constant.

1.15 Denominator

All patients aged 2 months through 12 years with a diagnosis of acute otitis media (AOM), an antibiotic prescribed at the current visit, and no antibiotic prescription in the prior 30 days.

1.20 Types of Data Sources

Other

6.1.2 Current or Planned Use(s)

Public Reporting, Quality Improvement with Benchmarking (external benchmarking to multiple organizations), Quality Improvement (Internal to the specific organization)

6.1.3 Current Use(s)

Public Reporting, Quality Improvement with Benchmarking (external benchmarking to multiple organizations), Quality Improvement (Internal to the specific organization)

Exclusions

Diagnosis of alternate, co-occurring infection for which antibiotics are typically indicated will be excluded (as specified in S.11. Denominator Exclusion Details).

Planned Use

Public Reporting, Quality Improvement (Internal to the specific organization), Quality Improvement with Benchmarking (external benchmarking to multiple organizations)

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Children

The measure developer is different from the measure steward

No

Steward Organization

The Children's Hospital of Philadelphia

Steward POC email

baileyc@email.chop.edu