

2024 Measure Set Review (MSR): Final Preliminary Assessment

The following information was sourced in June of 2024 from the Centers for Medicare & Medicaid Services Measures Inventory Tool (CMIT), discussions with CMS program leads, and publicly available CMS datasets (see links below).

Measure Information

CMIT ID	Title
00210-03-C-LTCHQR	Discharge to Community-Post Acute Care (PAC) Long-Term Care Hospital (LTCH) Quality Reporting Program (QRP)
Measure Steward	CMS Program
Centers for Medicare & Medicaid Services (CMS)	Long-Term Care Hospital Quality Reporting

Measure Overview

Rationale: This measure assesses successful discharge to the community from a PAC setting, with successful discharge to the community including no unplanned rehospitalizations and no death in the 31 days following discharge.

Description: This measure reports an LTCH's risk-standardized rate of Medicare fee-for-service (FFS) patients who are discharged to the community following an LTCH stay, and do not have an unplanned readmission to an acute care hospital or LTCH in the 31 days following discharge to community, and who remain alive during the 31 days following discharge to community. Community, for this measure, is defined as home/selfcare, with or without home health services, based on Patient Discharge Status Codes 01, 06, 81, and 86 on the Medicare FFS claim.

Numerator: The measure does not have a simple form for the numerator and denominator; that is, the risk-adjustment method does not make the observed number of community discharges the numerator, and a predicted number the denominator. The measure numerator is the risk-adjusted estimate of the number of patients/residents who are discharged to the community, do not have an unplanned readmission to an acute care hospital or LTCH in the 31-day post-discharge observation window, and who remain alive during the post-discharge observation window. This estimate starts with the observed discharges to community and is risk adjusted for patient/resident characteristics and a statistical estimate of the facility effect beyond case mix.

Denominator: The denominator for the discharge to community measure is the risk-adjusted expected number of discharges to community. This estimate includes risk adjustment for patient/resident characteristics with the facility effect removed. The expected number of discharges to community is the predicted number of risk-adjusted discharges to community if the same patients/residents were treated at the average facility appropriate to the measure. **Exclusions:** 1. Age under 18 years; 2. No short-term acute care stay within the 30 days preceding an inpatient rehabilitation facility (IRF), skilled nursing facility (SNF), or LTCH admission; 3. Discharges to psychiatric hospital; 4. Discharges against medical advice; 5. Discharges to disaster alternative care sites or federal hospitals; 6. Discharges to court/law enforcement; 7. Patients/residents discharged to hospice, and those with a post-discharge hospice benefit; 8. Patients/residents not continuously enrolled in Part A FFS Medicare for the 12 months prior to the post-acute admission date and at least 31 days after post-acute discharge date; 9. Patients/residents whose prior short-term acute care stay was for non-



Reporting overlap with similar/related

measures: Discharge to Community (DTC) - Post Acute Care (PAC) Skilled Nursing Facility

surgical treatment of cancer; 10. Post-acute stays that end in transfer to the same level of care; 11. Post-acute stays with claims that are problematic (e.g., anomalous records for stays that overlap wholly or in part, or are otherwise erroneous or contradictory); 12. Planned discharges to an acute or LTCH setting; 13. Medicare Part A benefits exhausted; 14. Patients/residents who received care from a facility located outside of the United States, Puerto Rico, or a U.S. territory; 15. Swing Bed Stays in Critical Access Hospitals (SNF setting only); 16. Baseline NF residents. Measure is a composite: No Measure type: Outcome Measure is digital and/or an eCQM: No Level(s) of analysis/measured entity: Care setting: Facility/Institution Inpatient rehabilitation facility (IRF) Long-term care hospital Skilled nursing facility (SNF)/nursing home Risk adjustment and/or stratification: Yes, Data source(s): Claims data risk adjusted for variables including age, sex, comorbidities, and other variables outlined Data collection method: Claims data. Reporting frequency: Annually routinely collected

Does this measure fill a statutorily required category for the program? Yes, this topic area is required by IMPACT Act .	(SNF) Quality Reporting Program (QRP). Is this measure included in upcoming rulemaking? No
Measure Status	
Current CBE Endorsement Status: Endorsed	CBE Endorsement History: Endorsed 2019

II. Measure Performance

All required data are collected as part of

clinical workflow: Yes

00210-03-C-LTCHQR Performance in 2020-2022

For this measure, the MSR evaluation and analysis team reviewed the publicly available dataset <u>Long-Term Care Hospital - Provider Data</u> and archived <u>Long-term care hospitals</u>.

Figure 1 is a boxplot that shows the distribution of the performance over the past 3 years (where available). For each performance year, the dots indicate the lower 5th and upper 95th percentiles, and the vertical line is the range between these values (90% of the measure scores are between the dots). The box spans the lower 25th to the upper 75th percentile (50% of the measure scores are within the box). The horizontal line in the box indicates the median score, and the "+" indicates the mean score. This plot can be used to assess overall trends in the score over time.



Interpretation: In the plot below, the median score increases from about 15 in 2020 and 2021 to over 18 in 2022, with a wider range in performance across entities in that year.

Measure Score by Performance Year

Store by Performance Year

2020

2021

Performance Year

2022

Figure 1. Boxplot of Measure Score by Year

Importance Table

This table shows the relative spread of the scores and how many patients are impacted. Often the lowest or highest deciles (which, by definition, each represent 10% of the entities) may represent a disproportionately higher or lower percentage of patients. If the lowest decile contains only 5% of the patients for example, it suggests that low patient population may be related to low scores.

Interpretation of measure scores: The table can also be used to evaluate the impact of improving the score. It is common practice to use the performance of the top 20% of the entities as a benchmark. Here, 20% of the entities perform better than the 8th Decile (20.6), which could be considered the benchmark. The number of positive events for each decile can be estimated by multiplying the total patients by the corresponding rate. Here the estimated total number of positive events across all deciles is about 15,347. If Deciles 1-7 performed at the benchmark of 20.6, there would be an estimated 9% increase in positive events (about 16,712).



Table 1. Importance (Decile by measure score, 2022)

Data Type	Overall	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max
Mean Score (SD)	19.1 (2.22)	12.0	15.0	16.9	17.7	18.4	18.9	19.5	19.9	20.6	21.3	22.9	24.8
Entities	322	1	33	32	32	32	32	33	32	32	32	32	1
Total Patients	79,717	450	8,315	7,903	6,780	6,417	6,641	9,328	7,616	7,132	10,014	9,571	309

Reliability Tables

Two tables are used to summarize reliability. For Table 2, entities are sorted by patient volume, and the average reliability is reported along with the number of entities and average number and total patients for each decile. These tables can be used to assess the impact of population size on the reliability of an entity's measure score. In cases where reliability has a strong relationship to population size, reliability will be the lowest at Decile 1 and progressively increase up to Decile 10.

For Table 3, entities are sorted by reliability, and the average reliability by decile is reported. Mean, standard deviation, minimum and maximum reliability, and inter-quartile range (IQR) are also included. This table can be used to see the distribution of the reliability of the entities. A measure score is generally considered reliable when the reliability for at least 70% of the individual entities is above 60%.

Table 2. Reliability (Decile by denominator – target population size) (based on observed values)

Data Type	Overall	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max
Mean Target Population Size	248	27	66	111	141	173	205	238	278	313	385	570	991
Mean Reliability	56.4	48.0	43.1	49.2	50.5	54.3	54.7	57.8	59.5	61.7	64.2	69.6	77.8
Entities	322	1	33	32	32	32	32	33	32	32	32	32	1
Total Patients	79,717	27	2,182	3,553	4,525	5,548	6,551	7,860	8,909	10,031	12,313	18,245	991



Table 3. Mean reliability (By reliability decile)

Mean	SD	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max	IQR
56.4	8.2	33.3	41.9	48.0	50.7	53.4	55.6	57.4	59.8	62.1	65.1	70.6	77.8	11.5

Interpretation: The overall variation between entities (as estimated by the variance of the measure scores) is somewhat low relative to the variation within each entity. About 65% of the entities have an estimated reliability of less than 60%, suggesting that this measure may not be effective in differentiating entities by quality of performance.