

# 2024 Pre-Rulemaking Measure Review

## Preliminary Assessment

MUC ID	Title
MUC2024-046	Hospital 30-Day, All-Cause, Risk-Standardized Readmission Rate (RSRR) Following Coronary Artery Bypass Graft (CABG) Surgery
Measure Steward & Developer	Proposed CMS Programs
Centers for Medicare & Medicaid Services (CMS)	Hospital Readmissions Reduction Program

Measure Overview
<p><b>Developer-provided rationale:</b> The goal of this measure is to improve patient outcomes by providing patients, physicians, hospitals, and policymakers with information about hospital-level, risk-standardized readmission rates following hospitalization for qualifying isolated CABG surgery. Measurement of patient outcomes allows for a broad view of quality of care that encompasses more than what can be captured by individual process-of-care measures. Complex and critical aspects of care, such as communication between providers, prevention of and response to complications, patient safety, and coordinated transitions to the outpatient environment, all contribute to patient outcomes but are difficult to measure by individual process measures. The goal of outcomes measurement is to risk adjust for patient conditions at the time of hospital admission and then evaluate patient outcomes. This measure was developed to identify institutions whose performance is better or worse than would be expected based on their patient case mix and, therefore, promote hospital quality improvement and better inform consumers about care quality.</p>
<p><b>CMS-provided program rationale:</b> CMS is considering including this quality measure into its quality reporting programs because the measure supports CMS’s long-standing effort to link Medicare payments to health care quality in the inpatient hospital setting. Under the Hospital Readmissions Reduction Program (HRRP), CMS reduces payments to hospitals with higher-than-expected rates of readmission following treatment for select conditions and procedures, encouraging hospitals to provide high-quality care to reduce avoidable returns to the hospital. This re-specified, condition-specific, hospital 30-day, all-cause, risk-standardized readmission rate quality measure is currently used successfully within HRRP. It is going through the Measures Under Consideration (MUC) process for inclusion of Medicare Advantage (MA) beneficiaries to help ensure that within CMS quality reporting programs, quality measurement is tracked across all Medicare beneficiaries and not just the fee-for-service (FFS) population. Specifically, including MA beneficiaries will enable CMS to further its goals of improving health care for all Americans by linking payment to the quality of hospital care and advancing health equity. Over the past decade, enrollment in MA plans has more than doubled with over half of Medicare beneficiaries enrolling in MA plans. The continued inclusion of the quality measures with both FFS and MA beneficiaries in HRRP will help the agency move closer to achieving its</p>

The analyses upon which this publication is based were performed under Contract Number 75FCMC23C0010, entitled, “National Consensus Development and Strategic Planning for Health Care Quality Measurement,” sponsored by the Department of Health and Human Services, Centers for Medicare & Medicaid Services.

## Measure Overview

strategic quality initiatives of improving quality and health outcomes across the care journey and enabling a responsive and resilient health care system to improve quality

**Description:** This measure estimates a hospital-level, 30-day risk-standardized readmission rate (RSRR) for patients discharged from the hospital after a qualifying isolated coronary artery bypass graft (CABG) surgery. Readmission is defined as unplanned readmission for any cause within 30 days of the discharge date for the index admission. Readmissions are classified as planned and unplanned by applying the planned readmission algorithm. CMS annually reports this measure for patients who are 65 years or older and are Medicare fee-for-service (FFS) beneficiaries and/or Medicare Advantage (MA) beneficiaries hospitalized in non-federal short-term acute care hospitals and critical access hospitals.

**Measure background:** Measure currently used in a Medicare program and is being submitted without substantive changes for a new or different program.

**Numerator:** The outcome for this measure is 30-day, all-cause readmissions. We define readmission as an inpatient acute care admission for any cause, with the exception of certain planned readmissions, within 30 days from the date of discharge from the index admission for patients discharged from the hospital after a qualifying isolated CABG surgery. If a patient has more than one unplanned admission (for any reason) within 30 days after discharge from the index admission, only the first one is counted as a readmission. This measure looks for a dichotomous yes or no outcome of whether each admitted patient has an unplanned readmission within 30 days. However, if the first readmission after discharge is considered planned, any subsequent unplanned readmission is not counted as an outcome for that index admission because the unplanned readmission could be related to care provided during the intervening planned readmission rather than during the index admission. Readmissions with a principal diagnosis code of COVID-19 (U07.1) or with a secondary diagnosis code of COVID-19 coded as present on admission on the readmission claim are not eligible for the readmission outcome and are excluded.

**Exclusions:** N/A

**Denominator:** The cohort includes admissions for patients that meet all of the following inclusion criteria:

1. Enrolled in Medicare FFS and/or MA for the 12 months prior to the date of admission; and enrolled in FFS or MA during the index admission;
2. Aged 65 or over;
3. Discharged alive from a non-federal short-term acute care hospital;
4. Having a qualifying isolated CABG procedure during the index admission. Isolated CABG surgeries are defined as those procedures performed without the following concomitant valve or other major cardiac, vascular, or thoracic procedures: valve procedures; atrial and/or ventricular septal defects; congenital anomalies; other open cardiac procedures; heart transplants; aorta or other non-cardiac arterial bypass procedures; head, neck, intracranial vascular procedures; or other chest and thoracic procedures.

**Exclusions:** This measure excludes index admissions for patients that meet any of the following exclusion criteria:

1. Without at least 30 days of post-discharge enrollment in Medicare FFS and/or MA;
2. Discharged against medical advice;
3. Admissions for subsequent qualifying CABG procedures during the measurement period;

Measure Overview	
4. With a principal diagnosis code of COVID-19 or with a secondary diagnosis code of COVID-19 coded as POA on the index admission claim.  <b>Exceptions:</b> N/A	
<b>Measure type:</b> Outcome	<b>Measure has multiple scores:</b> No  <b>Measure is a composite:</b> No  <b>Measure is digital and/or an eCQM:</b> No  <b>Measure is a paired or group measure:</b> No
<b>Level of analysis:</b> Facility	<b>Data source(s):</b> Digital-Administrative systems: Administrative Data (non-claims); Digital-Administrative systems: Claims Data
<b>Care setting(s):</b> Hospital inpatient acute care facility	<b>Risk adjustment or stratification:</b> Yes
<b>CBE endorsement status:</b> Endorsed, CBE ID <a href="#">2515</a>	<b>CBE endorsement history:</b> Endorsed Fall Cycle 2020; Initial Endorsement 2014
<b>Is measure currently used in CMS programs?</b> Yes, Hospital Readmissions Reduction Program	<b>Measure addresses statutorily required area?</b> No

## Meaningfulness

Importance	
<b>Type of evidence:</b>	Peer-Reviewed Original Research, Empirical Data, Grey Literature [Source: Measures Under Consideration (MUC) Entry/Review Information Tool (MERIT) Submission Form]
<p><b>Importance:</b> A literature review provided by the developer reports that acute myocardial infarction and coronary atherosclerosis, which are often treated by CABG procedures, represent the fifth and ninth most costly conditions in the U.S. across all ages and payers respectively, despite being relatively uncommon reasons for inpatient admission; the ranking for these conditions rises among patients 65 years and older. Research on a variety of conditions and procedures has shown that readmission rates are influenced by the quality of care provided within the health system and, specifically, that interventions such as improved discharge planning, reconciling patient medications, and improving communications with outpatient providers can reduce readmission rates. Several recent studies have demonstrated that improvements in care at the time of patient discharge can reduce 30-day readmission rates.</p> <p>During prior CBE Endorsement &amp; Maintenance cycle in 2020, the committee found importance of this to be sufficient.</p>	
<b>Rating:</b> Met, Prior CBE Endorsement	

## Measure Performance

The importance data provided (1,070 hospitals) corresponds to Table 4.5.5 in the Supplemental Methodology Report, which includes hospitals with at least 25 admissions. Because reliability has been calculated on a subset of hospitals with at least 25 admissions, Battelle used the mean and standard deviation from Table 4.5.6 (“with ICD-10-based risk variables” columns) to estimate the importance deciles (i.e., the data sorted and broken into 10 equal parts) in Table 1 below (for simplicity, a normal distribution was assumed).

Interpretation: The mean score for the 851 entities described in the testing submission for this measure was 10.1. For this ratio measure, a lower score indicates better quality of care.

**Table 1. MUC2024-046 Performance Score Deciles**

	Overall	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max
Mean Score (SD)	10.1 (1.1)	6.8	8.3	9.0	9.4	9.7	10.0	10.2	10.5	10.8	11.2	11.9	13.4
Entities	851	1	86	85	85	85	85	85	85	85	85	85	1

### Conformance

**Measure alignment with conceptual intent:** The specification of the measure focus (day risk-standardized readmission rate for patients discharged from the hospital after a qualifying isolated coronary artery bypass graft (CABG) surgery) is aligned with the measure conceptual intent and has been used and studied extensively. The submission provides extensive data demonstrating comparability between the fee-for-service (FFS) and Medicare Advantage target populations and demonstrating minimal impact on the modified risk-adjusted rates. Numerator and denominator populations are appropriate and exclusions align with clinical evidence.

**Rating:** Met, Prior CBE Endorsement

### Feasibility

**eCQM feasibility testing conducted:** No [Source: MERIT Submission Form]

**Feasibility:** The specification for the measure focus, the target population, and the risk factors is based on fee-for-service administrative (claims) data, and the measures have been in use. The Medicare Advantage encounter data are collected and reported in similar fashion. The submission states that all data elements are in defined fields in electronic sources and that United States Core Data for Interoperability (USCDI)/USCDI+ quality alignment has not yet been assessed; aligning with USCDI standards for data elements can promote interoperability and improve feasibility.

During prior CBE Endorsement & Maintenance cycle, the committee found feasibility of this measure sufficient.

**Rating:** Met, Prior CBE Endorsement

Validity	
<b>Validity testing:</b>	Face Validity & Empiric Validity [Sources: MERIT Submission Form, Methodology, Methodology Supplemental, Methodology TEP, Social Risk Factor Testing]
<b>Testing level(s):</b>	Facility
<p><b>Validity:</b> The developer assessed the face validity of the measure score as an indicator of quality by soliciting the technical expert panel (TEP) members' agreement with the following statement: "The risk-standardized readmission rate obtained from the measures as specified can be used to distinguish between better and worse quality hospitals." Eleven of 12 TEP members strongly, moderately, or somewhat agreed with the statement.</p> <p>The submission also cites a relevant portion of the extensive published literature that substantiates the association (correlation) and mechanism (interventions, strategies) claims of causation between the entity response (the quality construct) and the measure focus.</p> <p>The correlation between the CABG readmission measure and the Star Rating Standardized Readmission Group Scores (excluding CABG readmissions), the Star Rating Standardized Summary Scores (excluding CABG readmissions) and the Star Rating Standardized Summary Scores (excluding readmission measure group) was -0.19, -0.13 and -0.06, respectively. This is in the hypothesized direction because lower CABG readmission rate and higher Star Rating reflect better quality of care. While these correlations align with the hypothesized direction, the committee should consider if these correlations are of sufficient strength to support measure validity.</p>	
<p><b>Threats to validity:</b> The committee should consider the additional threat to validity of the 2- or 3-year period of performance used to increase reliability but with a trade-off to validity (because historical data may not reflect current performance).</p>	
<p>During prior CBE Endorsement &amp; Maintenance cycle, the committee found validity of this measure sufficient.</p>	
<b>Rating:</b> Met, Prior CBE Endorsement	

Reliability	
<b>Reliability testing method(s):</b>	Signal-to-noise [Sources: MERIT Submission Form, Methodology, Methodology Supplemental, Methodology TEP, Social Risk Factor Testing]
<b>Testing level:</b>	Facility
<p><b>Reliability discussion:</b> The numerator and denominator for this measure are well defined. The developer calculated signal-to-noise reliability based on the between entity variance from the risk-adjustment model. This results in the reliability of the hospital intercepts from the risk-adjusted model but not the reliability of the final measure, the risk-standardized readmission rate (RSRR), or the reliability of the standardized readmission ratio (SRR). The analysis to determine if a hospital performs better or worse than expected (calculated using bootstrapping procedures) indicates that the measure is ineffective at differentiating entities by quality of performance. Of the 893 hospitals with at least 25 admissions, two (0.2%) performed better than the national rate, three (0.3%) performed worse than the national rate, and 99.4% performed no different than the national rate.</p> <p>The reliability results provided (which represent the reliability of the predicted value only) were calculated from 1 year of data consisting of 953 hospitals with at least 25 admissions. The developer projected the reliability for 2- and 3-year data and provided estimated minimum, maximum, median, and 25<sup>th</sup> and 75<sup>th</sup> percentiles.</p> <p>For the 2-year projections, about 60% of the entities would have a reliability &gt;0.6, indicating that 40% of entities may not be able to distinguish good from poor quality care.</p> <p>For the 3-year projections, about 80% of the entities would have a reliability &gt;0.6. This suggests slightly improved reliability of the measure with a longer period of performance and resulting larger sample size.</p> <p><b>Additional reliability analyses:</b> The importance data provided (1,070 hospitals) corresponds to Table 4.5.5 in the Supplemental Methodology Report, which includes hospitals with &lt;25 admissions. Because reliability has been calculated on hospitals with at least 25 admissions, Battelle used the mean and standard deviation from Table 4.5.6 (“with ICD-10-based risk variables” columns) to estimate the importance deciles. Table 2 includes the minimum, maximum, and 25<sup>th</sup> and 75<sup>th</sup> percentiles provided. Deciles have been filled in with simple interpolation.</p> <p>During prior CBE Endorsement &amp; Maintenance cycle, the committee found validity of this measure sufficient.</p>	
<b>Rating:</b> Met, Prior CBE Endorsement	

### Reliability Table:

Table 2 shows deciles by reliability based on the information provided for the performance score (Table 4.5.6 in the Supplemental Methodology Report) and calculated reliability for the 953 entities described in the testing submission. Battelle created this table to provide reviewers with a standardized format to assess reliability.

Interpretation: For the 2-year projections, about 60% of the entities would have a reliability >0.6, indicating that 40% of entities may not be able to distinguish good from poor quality care. For the 3-year projections, about 80% of the entities would have a reliability >0.6.

**Table 2. MUC2024-046 Mean Reliability (by Reliability Decile)**

	Mean	SD	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max	IQR
<b>2-year</b>	0.67	0.17	0.302	0.35	0.44	0.54	0.56	0.61	0.69	0.72	0.76	0.80	0.87	0.942	0.22
<b>3-year</b>	0.74	0.14	0.310	0.37	0.50	0.63	0.65	0.70	0.76	0.79	0.82	0.85	0.91	0.961	0.20

<b>Usability</b>	
<b>Usability considered in application:</b>	Yes
<p><b>Usability discussion:</b> The measure counts readmissions to any acute care hospital for any cause within 30 days of the date of discharge after undergoing isolated CABG surgery, excluding planned readmissions. The addition of MA data to the measure doubles the cohort size, improves measure reliability, and more accurately reflects the quality of care for both FFS and MA beneficiaries. One limitation is that the submission does not explicitly consider barriers or facilitators to the implementation of strategies to reduce readmissions or how those barriers might be mitigated or facilitators disseminated. The committee should consider if the “flattened” rates in importance table may suggest that further improvement may require an alternative approach and strategy.</p> <p>During prior CBE Endorsement &amp; Maintenance cycle, the committee found the use &amp; usability of this measure sufficient.</p>	
<b>Rating:</b> Met, Prior CBE Endorsement	

<b>External Validity</b>	
<b>Was this measure tested in the same target population as the CMS program?</b>	Yes
<p><b>External validity discussion:</b> In general, the developer tested the measure on the target population (Medicare FFS and MA beneficiaries). Limitation: Only one year of data (January 1, 2022, to December 30, 2022) was available for testing. Reliability</p>	



testing extrapolated 1 year of data to 2 or 3 years, assuming the same signal variance and reducing the noise variance by using a larger denominator. Presumably, future testing would include additional years of data.

**Rating:** Met, Prior CBE Endorsement

## Appropriateness of Scale

<p><b>Similar or related measures in program(s):</b></p>	<p>From the submission: This measure is distinct from the Risk-Adjusted CABG Readmission Rate because the <a href="#">CBE ID #2514</a> measure is based on data from the Society of Thoracic Surgeons (STS), which only includes hospitals that participate in the STS registry. This measure is distinct from <a href="#">00334-01-C-HVBP</a> Hospital 30-day all-cause risk-standardized mortality rate (RSMR) following acute coronary artery bypass graft (CABG) surgery because RSMR is for mortality while risk-standardized readmission rate (RSRR) is for readmissions.</p>
<p><b>Measure appropriateness, equity, and value across target populations/measured entities:</b> The submission does not specifically address how benefits and harms of the measure use are distributed across identifiable subpopulations of either persons or entities. While there might be differences among entities in terms of community support and access to care services, this measure is stratified by the proportion of dual eligibility (DE) patients as part of the CMS Hospital Readmissions Reduction Program (HRRP) calculations. The committee should consider whether entities that operate in areas with fewer community supports and have access to post-acute care services are able to realize the same benefits from those readmission reduction strategies.</p>	

## Time to Value Realization

<p><b>Plan for near- and long-term impacts after implementation:</b></p>	<p>The submission does not specifically address how any benefits or harms of measure use might change over time.</p>
<p><b>Measure implementation impacts over time:</b> While the measure developer briefly mentions potential outcomes for their measure on patient populations, there may be a need for further examination of near- and long-term impacts of this measure after implementation for measured entities and patients.</p> <p>Questions for the committee to consider:</p> <ul style="list-style-type: none"> <li>• What are the potential near- and long-term impacts of this measure on measured entities, proposed CMS program, and patient populations?</li> <li>• Will benefits and burdens associated with this measure be realized within an appropriate implementation time frame?</li> </ul>	

- Given that the measure has been in use for years, what rationale exists for expectations of continued measure improvement?