

CBE 0369: Standardized Mortality Ratio for Dialysis Facilities

2.4 Performance Gap, Table 1

Table 1 Performance Scores by Decile

Enter overall mean, minimum, and maximum performance scores, along with the count of measured entities and persons/encounters/episodes. Organize entities into deciles by performance scores from 1 (low scores) to 10 (high scores), noting that "high" refers to magnitude, not quality. Provide mean performance scores, number of entities (total) and number of persons/encounters/episodes (total) for entities assigned to each decile. Note that measures being submitted for maintenance review are expected to report on the performance gap, while measures submitted for initial endorsement may provide this information, if available.

	Overall	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max
Mean Performance Score	0.99	0	0.58	0.73	0.81	0.88	0.94	1.00	1.06	1.14	1.25	1.51	3.10
N of Entities	7,824	5	782	782	783	782	783	782	783	782	783	782	1
*N of Persons / Encounters / Episodes	2,320,885	313	167,585	222,879	218,945	220,667	234,469	236,401	236,873	225,073	214,204	343,789	236
N of person years*	1,385,951.24	190.27	110,160.4	146,525.1	142,014.6	142,441.0	150,215.75	150,359.9	148,639.1	140,694.6	132,681.5	121,219.4	116.8

*The Total N of Persons is typically higher than the Total N of Person-Years since patients may not spend the entirety of one year in the facility because they either transfer into or out of facility or are no longer on dialysis.

Please note: Table 1 includes data from 2020-2023