

CBE 1463: Standardized Hospitalization Ratio for Dialysis Facilities (SHR)

2.4 Performance Gap, Table 1

Table 1 Performance Scores by Decile

Enter overall mean, minimum, and maximum performance scores, along with the count of measured entities and persons/encounters/episodes. Organize entities into deciles by performance scores from 1 (low scores) to 10 (high scores), noting that "high" refers to magnitude, not quality. Provide mean performance scores, number of entities (total) and number of persons/encounters/episodes (total) for entities assigned to each decile. Note that measures being submitted for maintenance review are expected to report on the performance gap, while measures submitted for initial endorsement may provide this information, if available.

	Overall	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max
Mean Performance Score	0.98	0.10	0.56	0.72	0.80	0.87	0.93	0.99	1.05	1.13	1.23	1.50	3.66
N of Entities	7,512	1	751	751	751	751	751	752	751	751	751	751	1
N of Person	569,900	16	38,744	48,925	52,453	55,265	57,054	56,772	55,595	57,734	54,492	44,276	12
N of Person-Years	363,592	10.6	27,343.0	34,279.3	36,652.9	38,495.2	39,460.8	39,010.8	38,136.8	38,897.6	36,448.1	28,634.3	5.3