

CBE 2979: Standardized Transfusion Ratio for Dialysis Facilities

2.4 Performance Gap, Table 1

Table 1 Performance Scores by Decile

Enter overall mean, minimum, and maximum performance scores, along with the count of measured entities and persons/encounters/episodes. Organize entities into deciles by performance scores from 1 (low scores) to 10 (high scores), noting that "high" refers to magnitude, not quality. Provide mean performance scores, number of entities (total) and number of persons/encounters/episodes (total) for entities assigned to each decile. Note that measures being submitted for maintenance review are expected to report on the performance gap, while measures submitted for initial endorsement may provide this information, if available.

[There is space in the form to provide a table caption, if desired.]

	Overall	Min	Decile 1	Decile 2	Decile 3	Decile 4	Decile 5	Decile 6	Decile 7	Decile 8	Decile 9	Decile 10	Max
Mean Performance Score	0.96	0.00	0.33	0.53	0.65	0.74	0.83	0.93	1.05	1.18	1.38	2.01	13.06
N of Facilities	7,268	15	726	727	727	727	727	727	727	727	727	726	1
N of Patients*	473,742	355	36,997	49,706	52,779	54,271	56,251	55,560	58,627	54,611	53,325	44,121	26
N of Patient Years*	363,642	253	25,734	34,993	37,015	37,778	39,113	38,558	39,949	37,217	35,911	28,626	17

* The Total N of Patients is typically higher than the Total N of Patient-Years since patients may not spend the entirety of one year in the facility because they either transfer into or out of facility or are no longer on dialysis.